NET WEIGHT 22.6 KG

NPZS is a blended foliar fertilizer containing 15% available nitrogen from low biuret urea, 5% available phosphoric acid derived from ortho-phosphoric acid, and 5% Zinc derived from Sodium Zinc Nhydroxyethlene-diaminetriacetate. Balance Inert ingredients.

SUGGESTED USES:

ALFALFA - 1-2 pts. per acre at bud stage. Repeat every 10-14 days.

BEANS, PEAS - 1-2 pts. per acre at bud stage or when the first bloom is seen. Repeat every 2-3 weeks.

CABBAGE, CAULIFLOWER, BROCCOLI, OTHER COLE CROPS - 1-2 pts. per acre right after transplant. Repeat every 10-14 days.

CARROTS, BEETS, OTHER VEGETABLE ROOT CROPS - 1-3 pts. per acre when plants are 3-4 weeks old. Repeat at 3-4 week intervals.

LETTUCE - 1-2 pts. per acre. First application at thinning period for lettuce, right after transplant for celery, early rosette stage for spinch. Repeat every 10-14 days.

CITRUS, AVOCADOS - 1pt-2qts. per 100 gallons or 2-4 pts. per acre. First application just before bloom with later application over new flush of growth.

COTTON - 1-2 pts. per acre just prior to main bloom. Repeat every 2-3 weeks.

MELONS, CANTALOUPES, CUCUMBERS, SQUASH - 1-2 pts. per acre just prior to bloom. Repeat in 2-3 weeks.

MILO - 1qt. per acre when plants are 3-4" high. Direct spray in 15 gallons water.

NPZS

15-5-0-5 Zn Soluble Nutrient Spray

GUARANTEED ANALYSIS:

Total Nitrogen (N)	15.00%
Available Phosphoric Acid (P2O5)	5.00%
Soluble Potash (K2O)	
Zinc (Zn)	
Sulphur (S)	

THE J.C. SMITH CO. San Saba, Texas 76877

NET WEIGHT 50 POUNDS

ONIONS, GARLIC - 1-2 pts. per acre about 3 weeks before bulb formation. Repeat at time of bulb formation. Again 2-3 weeks later.

PECANS - 11/2-2 1/2 qts per 100 gal, water, Spray to drip.

PEANUTS - 11/2-3 pts. per acre-2-4 applications from first bloom and repeat every 10-14 days.

POTATOES - 2 pts. per acre when plants are 4-5 inches high. Repeat in 3-4 weeks.

SUNFLOWER - 1-3 pts. per acre at bud stage. Repeat at full bloom or just after.

STRAWBERRIES - 1-2 pts. per acre just prior to bloom. Repeat every 10-14 days throughout fruiting period.

SUGAR CANE - 1-2 qts, per acre on early growth in 15 gallons water.

SWEET CORN, FIELD CORN - 2 pts. per acre at first sign of tassels. Repeat in 2-3 weeks.

TOBACCO - 1 pt. per acre 1-3 weeks after transplant. Repeat in 3-4 weeks

TOMATOES, PEPPERS, EGGPLANT, OKRA -1-2 pts. per acre at first bloom. Repeat at 10-15 day intervals during fruiting period.

CONDITIONS OF SALE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantibility of fitness for a particular purpose expressed or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to the seller and buyer assumes the risk of any such use.

